


found at shown and y except as have Notes lat correctly represents the facts ere are no encroachments except as within the boundary of the property Plat here the IA Flood Insurance Rinty, Texas, the follesignated 100 Year Fthe ground survey o this F and th fy that survey certify of the s abov des on ther furt. e time impro Based c Brazos within made ar I fl the all


By Surveyed

sho

04

#3293 Surveyor Land Red Henry 1994 Childelle Denson W. March 25,





## **GENERAL NOTES:** BASIS OF BEARINGS: THE NORTHEAST LINE OF THE 1.56 ACRE TRACT, CALCULATED AS S 45°55'39" E BASED ON CITY OF BRYAN GPS MONUMENTS 57 AND 58 (NAD '83) AS MONUMENTED ON THE GROUND (CALLED S 45° W). 2. ALL MONUMENTS ARE CAPPED 1/2" IRON RODS SET, UNLESS OTHERWISE NOTED. 3. SUNCREST DRIVE IS APPARENTLY A PUBLIC RIGHT-OF-WAY BY PRESCRIPTION. IT IS MAINTAINED BY THE CITY OF BRYAN, BUT NO RIGHT-OF-WAY HAS BEEN DEDICATED. 4. STREET ADDRESS: 803 SUNCREST STREET. 5. THIS TRACT DOES NOT LIE WITHIN THE 100-YEAR FLOOD PLAIN AS GRAPHICALLY DEPICTED BY FEMA FIRM COMMUNITY PANEL NO. 48041C0133 C, JULY 02, 1992. 6. THE OWNER OF THE OLIVIA BACHELOR TRACT IS HEREBY GRANTED AN EASEMENT ACROSS THE 0.02 ACRE RESERVE TRACT. LOCATION OF FIRE HYDRANT AND WATERLINE TO BE FINALLY DETERMINED AFTER DISCUSSIONS WITH CITY STAFF. 8. A LOT DEPTH VARIANCE HAS BEEN GRANTED FOR LOT 1 AND LOT 2, BLOCK ONE. 9. THE POWER POLES AND GUYS INDICATED WILL BE RELOCATED TO AVOID INTERFERENCE WITH LOT "BUILDABLE" AREA.

MONUMENT NO. 57 BEARS: N 49°12'04" E ~ 4610.03', AND BRYAN CITY MONUMENT NO. 57 BEARS: S 85°09'39" E ~ 6380.76'. METES AND BOUNDS DESCRIPTION 1.56 ACRE TRACT

METES AND BOUNDS DESCRIPTION OF ALL THAT CERTAIN 1.56 ACRE TRACT OR PARCEL OF LAND, LYING AND BEING SITUATED IN THE S. F. AUSTIN LEAGUE # 9, ABSTRACT NO. 62, BRYAN, BRAZOS COUNTY, TEXAS AND BEING PART OF A 2 ACRE TRACT MORE FULLY DESCRIBED IN VOL. 1528, PAGE 21 OF THE DEED RECORDS OF BRAZOS COUNTY, TEXAS, SAID 1.56 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

CITY OF BRYAN

S. F. AUSTIN LEAGUE # 9, A-62

BRYAN, BRAZOS COUNTY, TEXAS

BEGINNING AT A 1/2" CAPPED IRON ROD SET FOR THE NORTH CORNER OF SAID 1.56 ACRE TRACT;

THENCE S 47°55'39" E (CALLED S 45°E ) - 238.35 FEET ALONG THE NORTHEAST LINE OF SAID TRACT TO A 1/2" CAPPED IRON ROD SET FOR THE NORTH CORNER OF A 0.25 ACRE TRACT CONVEYED FROM WILLIE LEE WILLIAMS, JR. ET UX TO G.D. ENTERPRISES IN VOLUME 1171, PAGE 647 OF THE OFFICIAL RECORDS OF BRAZOS COUNTY,

THENCE THE FOLLOWING CALLS AROUND THE SAID 0.25 ACRE TRACT

S 45°09'09" W - 106.27 FEET (CALLED N 45° 13' E - 107.3 FEET) TO A DISTURBED 3/8" IRON ROD FOUND FOR CORNER:

S 43"56"(8" E - 99.74 FEET (CALLED N 41" 10" W - 100 FEET) TO A 1/2" IRON ROD FOUND FOR CORNER:

N 46°45'42" E - 113,43 FEET (CALLED S 45° 08' W - 114 FEET) TO A 1/2" CAPPED IRON ROD SET FOR CORNER OF SAID 0.25 ACRE TRACT AND BEING IN THE NORTHEAST LINE OF THE ABOVEMENTIONED 1.56 ACRE TRACT:

THENCE S 47°55'39" E (CALLED S 45° E) - 242.46 FEET ALONG THE NORTHEAST LINE OF SAID 1.56 ACRES TO A 1/2" CAPPED IRON ROD SET FOR THE EASTERLY CORNER OF THE SAID 2 ACRE TRACT AND BEING COMMON WITH SOUTH CORNER OF THE 1 ACRE TRACT CONVEYED TO DOCK JENKINS (DEC'D) DESCRIBED IN VOLUME 112, PAGE 429 OF THE DEED RECORDS OF BRAZOS COUNTY;

THENCE S 41°33'04" W - 18.17 FEET (CALLED S 45° W) ALONG THE SOUTHEAST LINE OF THE 2 ACRE TRACT TO A 5/8" IRON ROD FOUND FOR CORNER AND BEING THE EAST CORNER OF A 0.172 ACRE TRACT CONVEYED TO JAMES C. MOSELY IN VOLUME 1247, PAGE 426 OF THE OFFICIAL RECORDS OF BRAZOS COUNTY;

THENCE THE FOLLOWING CALLS AROUND THE SAID 0.172 ACRE TRACT:

N 52°00'38" W - 74.93 FEET (CALLED S 41° 10' E - 75 FEET) TO A 5/8" IRON ROD FOUND FOR CORNER; S 41°33'04" W - 100.00 FEET (CALLED N 45° E - 100 FEET) TO

A 5/8" IRON ROD FOUND FOR CORNER; S 52°00'38" E - 74.93 FEET (CALLED N 41° 10' W - 75 FEET) TO A 5/8" IRON ROD FOUND FOR CORNER IN THE SOUTHEAST LINE


OF SAID 1.56 ACRES; THENCE S 41°33'04" W - 29.33 FEET (CALLED S 45° W) TO A 1/2" IRON ROD CAPPED, SET FOR CORNER AND BEING THE SOUTH CORNER

OF SAID 1.56 ACRE TRACT;


THENCE N 47°55'32" W - 587.92 FEET (CALLED N 45°W - 213.8 VARAS) ALONG THE SOUTHWEST LINE OF SAID 1.56 ACRE TRACT TO A 1/2" CAPPED IRON ROD SET FOR THE NORTHWEST CORNER OF SAID 2 ACRE TRACT;


THENCE N 43° 07' 17" E - 147.50 FEET WITH THE NORTHEAST LINE OF SAID 1.56 ACRE TRACT TO THE PLACE OF BEGINNING, AND CONTAINING 1.56 ACRES OF LAND.


BASIS OF BEARINGS: THE NORTHEAST LINE OF SAID 1.56 ACRE TRACT, CALCULATED AS S 47°55'39" E BASED ON CITY OF BRYAN GPS MONUMENTS 57 AND 58 (NAD '83) AS MONUMENTED ON THE GROUND (CALLED S 45° W).




SHEET NO. 1


















## CONSTRUCTION NOTES:

- 1. ALL LINEAR DIMENSIONS ARE IN FEET UNLESS OTHERWISE NOTED. 2. THIS PROPERTY DOES NOT LIE WITHIN AN IDENTIFIED 100-YR FLOOD PLAIN ACCORDING TO FEMA MAP No. 480410 0134C, DATED JULY 2, 1992. 3. BEARING BASE IS CITY OF BRYAN GPS CONTROL.
- 4. PRIMARY SITE BENCHMARK IS CITY OF BRYAN MONUMENT, GPS-34 ELEV. 340.58, NAD 88. SITE BENCHMARKS ARE TOPS OF SAN. SEWER MANHOLES AS SHOWN. 5. ALL CONSTRUCTION MATERIALS AND METHODS SHALL CONFORM WITH THE
- 2004 UNIFIED TECHNICAL SPECS AND DETAILS. WHERE CONFLICT OCCURS BETWEEN PLANS AND THE B/CS UNIFIED SPECS AND DETAILS, THE MORE CONSERVATIVE SHALL PREVAIL, A COPY OF THESE UNIFIED STANDARDS SHALL BE KEPT ON SITE DURING CONSTRUCTION. 6. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO FIELD VERIFY THE EXACT DEPTH & LOCATION OF ALL EXISTING UNDERGROUND UTILITIES AFFECTING
- SHOWN HERE ARE APPROXIMATE. THE CONTRACTOR SHALL-PROTECT ALL UNDER-GROUND UTILITIES AFFECTING THIS PROJECT. 7. THE CONTRACTOR SHALL NOTIFY ALL UTILITIES AT LEAST 2 DAYS PRIOR
- TO START OF CONSTRUCTION: WATER AND SEWER SERVICES - 209-5952 BTU (ELECTRICAL SERVICES) - 821-5830 ATMOS GAS - 775-1624
- VERIZON SOUTHWEST 321-4303 COX COMMUNICATIONS - 776-7766 DIG TESS - 1-800-344-3877
- IF ANY OF THE ABOVE NUMBERS HAVE CHANGED THE CONTRACTOR SHALL OBTAIN THE CORRECT ONES.
- 8. BACKFILL MATERIAL SHALL BE COMPACTED TO A MINIMUM OF 90% OF MAXIMUM DENSITY AS DETERMINED BY ASTM D 698 IN OPEN AREAS AND 98% UNDER PAVEMENT AND STRUCTURES. ALL BACKFILL SHALL BE IN 6" LIFTS.

  9. THE CONTRACTOR SHALL PROVIDE ADEQUATE SHEETING, SHORING BRACING, ETC. WHERE TRENCH DEPTH EXCEEDS 5 FEET.
- 11. THE CONTRACTOR SHALL MAINTAIN ACCURATE RECORDS OF ANY CONSTRUCTION
- CHANGES IN ORDER TO FACILITATE THE PREPARATION OF "AS-BUILT DRAWINGS" WHICH SHALL BE SUBMITTED TO THE CITY WITHIN 30 DAYS OF COMPLETION OF CONSTRUCTION. 12. WATER SERVICES SHALL BE IDENTIFIED BY BLUE METAL T-POST MARKERS, AND SANITARY SEWER SERVICE SHALL BE IDENTIFIED BY A GREEN METAL T-POST
- MARKER. ALL PVC PIPE SHALL BE TOPPED BY METAL DETECTOR TAPE. 14. ALL SANITARY SEWER SERVICE LINES UNDER PAVEMANT SHALL BE INSTALLED AT A MINIMUM OF 1.00% GRADE.
- 15. THE DETENTION POND SIDE SLOPES AND TOP OF BERM SHALL BE BLOCK SODDED AND THE DETENTION FACILITY SHOULD BE A MINIMUM OF 80% VEGETATED. MAXIMUM SLOPE FOR POND BERM SHALL BE 4 TO I. IN ALL CASES WHERE RIP RAP IS USED, THE QUANTITY NOTED MAY CHANGE AT
- THE TIME OF CONSTRUCTION. RUBBLE RIP-RAP PIECES SHALL BE A MIN. OF 20-LB EACH. 16. CONTRACTOR SHALL BE RESPONSIBLE TO SECURE GEOTECHNICAL ENGINEERING
- SERVICES IF NEEDED. 17. THE CONTRACTOR SHALL COORDINATE ALL PROPOSED WORK AND PROCEDURES WITH THE CITY OF BRYAN.
- 18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONSTRUCTION LAYOUT AND
- SURVEYING SERVICES. 19. DETENTION POND WILL BE PRIVATELY MAINTAINED. 20. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE CONTAINMENT AND
- PROPER DISPOSAL OF ALL LIQUID AND SOLID WASTE ASSOCIATED WITH THIS PROJECT. THE CONTRACTOR SHALL USE ALL MEANS NECESSARY TO PREVENT THE OCCURRENCE OF WIND BLOWN LITTER FROM THE PROJECT SITE.
- 21. LANDSCAPE IRRIGATION SHALL BE BY SPRINKLER. DESIGN BY OTHERS.
  22. THERE SHALL BE THREE 3/4" WATER METERS FOR DOMESTIC USE AND ONE 23. ALL SIDEWALKS AND RAMPS SHALL MEET TEXAS ACCESSIBILTY STANDARDS.
- 24. ALL EXISTING UTILITY TAPS FOR ABANDONDED HOMES WILL BE PLUGGED. 25. BUILDING LINES BY CURRENT CITY OF BRYAN ORDINANCE FOR ZONING DISTRICT. 24. STORM DRAIN ALIGNMENT WILL BE SUBJECT TO REVIEW UPON VERIFICATION OF LOCATION OF ATMOS 4" GAS LINE.


CHRISTIAN ANZE GALINDO

\$ 4473 E



ALINDO ENGINEERS AND PLANNERS, INC.

3833 SOUTH TEXAS AVE., SUITE 213 BRYAN, TEXAS 77802 979-846-8868



Received

TOTAL SPACES REQUIRED:

(4 HANDICAP OF WHICH

TWO ARE VAN ACCESSIBLE)

SPACES PROVIDED:

JAN 0 4 2006

Development & Maganeering

1.3526 ACRES

RED RIVER DR.

2536 EAST VILLA MARIA ROAD LOUPOT'S BANK & BOOKSTORE LOT 1, BLOCK ONE LOVETT SUBDIVISION VOL. 6428, PG. 85

BRYAN, BRAZOS COUNTY, TEXAS

LOUPOT'S

P.O. BOX 386

C/O GEORGE LOVETT

STRAWN, TX 76475

VOICE: 940-452-1758

FAX: 254-672-9302

**DATE:** OCTOBER 14, 2005 DESIGNED BY: JTM APPROVED BY: CG REVISIONS: JANUARY 3, 2006

PROJECT 18-05 SHEET l or  $oldsymbol{\mathcal{3}}$ 

1,500 S.F.